

Table 19. 2013 Race 4 Fusarium wilt infested field evaluation of RBTN entries in western Kern¹ county near Buttonwillow, CA., conducted by Univ. of California and USDA/ARS (Hutmacher et al). This site is a naturally infested field site where presence of the race 4 Fusarium pathogen had been confirmed in prior pathology studies. Averages and standard deviations (σ) are shown.

Cultivar	Number of Plants Evaluated	Foliar Disease Severity Index [†]		Vascular Root Staining [‡]		Number of Main Stem Nodes		Plant Height		Plant Percent Survival [§]	σ
		#	σ	0-5	σ	0-5	σ	cm	σ	PS	
0504-4	15	0.13	0.23	2.00	0.17	18.7	0.7	29.8	2.7	79.0	10.9
0502-37	15	0.87	0.12	2.47	0.46	17.9	1.3	22.1	4.4	90.4	6.0
0517-54	15	0.13	0.12	1.67	0.12	15.9	1.3	24.9	1.0	76.1	21.8
0506-47	15	0.60	0.53	2.00	0.45	17.5	1.4	24.9	2.5	89.2	3.1
PD 05064	15	0.47	0.31	2.13	0.31	16.4	2.8	25.0	4.0	88.9	9.7
PD 06078	15	0.20	0.20	2.13	0.31	18.2	0.4	22.9	0.8	80.4	19.8
PD05069	15	0.13	0.23	1.60	0.20	19.4	1.6	27.9	3.3	84.9	7.1
PD07092	15	0.27	0.23	2.47	0.31	18.4	1.1	25.1	2.7	96.0	10.4
GA 2009100	15	0.13	0.23	2.13	0.42	17.9	2.2	29.5	4.1	83.1	25.7
GA 2010098	15	0.07	0.12	1.73	0.45	16.8	1.6	25.2	2.1	82.7	9.7
GA 2009037	15	0.20	0.35	1.67	0.23	17.1	2.6	25.3	4.4	89.4	12.9
GA 2008016	15	0.47	0.31	1.93	0.42	16.7	1.3	21.8	3.0	90.6	22.0
MD 10-6	15	0.00	0.00	1.73	0.12	18.7	0.8	29.1	1.4	87.4	3.2
MD 10-5	15	0.20	0.20	1.87	0.12	18.1	0.9	31.2	1.1	96.2	11.7
MD 25-26ne	15	0.00	0.00	1.27	0.12	16.7	1.0	33.0	2.3	88.4	24.4
MD-DC	15	0.80	0.40	2.00	0.20	18.3	1.6	27.3	2.2	75.5	11.7
LA 09309116	15	0.27	0.23	1.87	0.23	16.9	1.1	27.3	3.3	98.7	4.9
LA 10307140	15	0.13	0.23	1.80	0.35	18.1	1.1	26.5	3.8	79.6	27.3
LA 10307108	15	0.12	0.23	2.07	0.34	18.5	0.6	25.9	1.9	84.0	11.1
LA 10307021	15	0.13	0.13	2.13	0.23	19.7	0.3	27.8	0.2	89.2	16.8
OA-33	15	0.07	0.12	1.80	0.53	18.1	2.6	31.5	2.8	77.4	23.7
PX 06520-42-2-1	15	1.40	0.53	2.33	0.23	15.1	1.9	16.3	3.5	69.5	18.3
PX 06520-42-2-3	15	0.07	0.12	1.80	0.35	16.9	1.5	23.3	3.9	76.7	9.1
AU 10090	15	0.33	0.42	2.13	0.46	17.9	1.0	25.0	2.1	61.7	14.8
AU 51038	15	0.20	0.20	1.93	0.31	18.2	0.2	29.7	2.4	93.9	4.7
AU 68036	15	0.47	0.50	2.07	0.31	18.5	0.4	25.9	2.0	87.5	5.1
AU 55052	15	0.33	0.42	1.87	0.12	16.9	2.3	25.6	1.4	84.2	15.6
NM 1301	15	0.27	0.46	1.78	0.50	18.0	1.1	27.3	4.9	91.8	4.0
NM 1302	15	0.00	0.00	1.87	0.12	18.3	1.9	29.3	2.5	87.1	3.5
Acala 1517-08	15	1.20	0.69	2.40	0.72	16.7	0.8	23.7	1.7	59.9	7.3
NM 1303	15	0.27	0.23	2.00	0.35	19.5	1.4	27.1	1.0	98.3	3.0
DP 393 ck	15	0.00	0.00	2.00	0.20	16.5	1.3	27.5	3.3	95.8	6.9
FM 958 ck	15	0.00	0.00	1.93	0.23	17.4	1.6	21.7	2.5	72.2	15.1
SG 105 ck	15	0.53	0.31	2.40	0.20	16.4	1.7	23.9	2.1	74.3	12.4
Daytona RF*	15	0.53	0.42	2.07	0.31	15.2	0.8	16.9	3.7	65.0	15.8
Phylogen 725RF*	15	0.13	0.23	2.13	0.31	17.9	0.4	22.8	2.2	57.4	5.1
Phy-802RF**	15	0.40	0.69	1.13	0.42	17.0	0.7	27.1	2.5	91.3	14.5
Phy-811RF**	15	0.07	0.12	1.47	0.12	16.5	1.5	25.6	4.4	84.9	1.9

*Daytona RF and Phylogen 725RF - Moderately-Susceptible to Fusarium Race-4 (Acala Checks)

**Phy-802RF & Phy-811RF - Resistant to Fusarium Race-4 (Pima Checks)

¹Wester Kern County Fusarium wilt (FOV) race 4 field evaluation planted on May 17 and evaluated August 1-6 (approximately 7-8 weeks post emergence)

[†]Foliar disease severity index scale: 0 = no symptoms; 1 = epinasty and slight dwarfing; 2 = 1 to 30% of leaves chlorotic; 3 = 31 to 80% of leaves chlorotic and severe stunting; 4 = 81 to 100% of leaves chlorotic; and 5 = plant death.

[‡]Vascular Root Staining: 0 = no vascular root staining evident, 1 = light vascular root staining evident as spotty areas, 2 = more continuous than 1, but light colored staining covering an area between one quarter and one half of the stem cross-section, 3 = moderate brown/black staining evident in a band encircling most of the stem cross section, 4 = brown/black staining evident across most vascular tissue in stem cross section, and 5 = plant severely damaged or plant death with staining evident throughout a cross-section of root tissue (Ulloa et al. 2006, 2009a).

[§]The percentage of plant survival (PS) was calculated by dividing the total number of surviving plants on sample date by the initial plant count after plant establishment, and multiplying by 100.